

RAIMOL ANTIRO

Anti-Rust Oil

Product Description

ANTIRO is a non-staining, non-emulsifiable and water displacing rust preventive which does not emulsify even in the presence of alkali. It deposits a thin, colorless film, which is practically invisible, not messy to handle, and will not bleed through wrappings and boxes.

Application

- Generally used for indoor rust protection of machined parts like gears and highly finished metal surfaces.
- May be used as rust preventive for tools and equipment stored in sheds.
- As a non-messy rust preventive for stamped metal panels and metal sheets.

Directions for Use

ANTIRO may be applied by:

- Brushing
- Spraying
- Dipping

Advantages

- Clear and non-staining
- Light film is not messy and non-greasy
- Has water displacing properties
- May easily be cleaned off with solvents and degreasers.

Physical and Chemical Properties

Appearance:	Clear, Light Yellow
Odour:	Mild
Color:	Minimum: 3.0 Maximum: 3.5
Flash Point:	>200°C
Physical State:	Liquid
Density (kg/li):	0.870
Solubility (Water):	Insoluble
Viscosity @40:	Minimum: 25.0 cst (centistokes) Maximum: 32.0 cst (centistokes)

Health and Safety

This product does not pose a health or safety hazard when used in the recommended application and when proper industrial safety practices are observed. As with all industrial oils and lubricants, prolonged contact with skin should be avoided, especially with used oils. Wash skin with soap and water after contact. Take used oil to an authorized government accredited recycler. See ANTIRO MSDS.

Packaging

18 liter pail and 200 liter drum.

RAIMOL is a trademark of Rainchem International, Inc. Typical Properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture. The information contained herein is subject to change without notice. For more information, contact your RAIMOL area distributor or visit www.raimol.com